


## WEFLK

"WEFLK": WALL-E SERIES FLOOR SCALES WITH INTEGRATED PRINTER



Floor multifunctional scales, precise and reliable , composed of weight indicator with numerical and functional keyboard, integrated printer and monobloc steel platform, solid and sturdy. Particularly suitable for industrial and commercial use, these scales allow to weigh and issue receipts with business name and 2 tracking numbers. Legal for trade approved as standard.

Working in cooperation with:

*AHNE TECH STAFF*  
-- MUSCAT  
*alhinaoman@gmail.com*

**The best solution  
for advanced industrial  
applications**

## FLOOR SCALES TECHNICAL FEATURES

- Weight indicator with ABS case, 25mm backlit LCD display with 6 high contrast digits and icons for showing the active functions.
- 17-keys functional waterproof keypad.
- Thermic integrated printer, to print on standard or adhesive paper.
- Fitted with date and time.
- Functioning with 4 steel load cells, approved according to OIML R60 C3 standards, IP67 protection degree.
- Monobloc structure with oven-fire painted steel tubular, adjustable resting feet and level.
- Protection reinforcements close to the load cells.
- Fixed load surface in chequered steel. Size; see the table.
- Digital calibration and Set-Up from keypad or from PC through DINITOOLS.
- 3m long cable for the connection between platform and indicator.
- Power supply: 230Vac, or through fitted rechargeable internal battery. Operating time; 40h approximately.
- Fitted with high resolution calibration for internal use, with 0.03% accuracy of the maximum capacity (activated as standard and disabled by menu).

## FLOOR SCALES SELECTABLE FUNCTIONS

- The user can select the operating modes directly using the dedicated key\*:
  - High resolution display x 10
  - Precision weighing with temporary recalibration via a sample weight (for internal factory use)
  - Net/Gross
  - Lb to Kg converter
  - Free conversion factor (for meter and litre counters etc.)
  - Weight totalizer
  - Formulizer
  - +/- controller with quick target and threshold input
  - Percentage weighing
  - Percentage batching with programmable target
  - Piece counter
  - Hold
  - Alibi memory (optional)

## VERSIONS

Available versions				
Codice	I x w x h (mm)	N° celle	Max (kg)	<b>M</b> 2R (kg) *
WEFLBK1500-1	1250x1250x120	4x1000kg	600/1500	0,2/0,5
WEFLDK3000-1	1250x1500x120	4x2000kg	1500/3000	0,5/1
WEFLEK3000-1	1500x1500x120	4x2000kg	1500/3000	0,5/1

(\*) These divisions are obtainable only with the relative options.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
Nogent-sur-Marne

DINI ARGEO  
GMBH  
Sinsheim - Germany

DINI ARGEO  
UK Ltd  
Taunton - United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
Shanghai - China

DINI ARGEO  
WEIGHBRIDGES  
Calto (RO) – Italy



HEAD OFFICE  
Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy



**AHNE TECH STAFF**  
-- MUSCAT  
  
*alhinaoman@gmail.com*  
  
SALES AND TECHNICAL ASSISTANCE SERVICE